

Protective hose in stainless steel

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Image shows WP-STEEL S 10 version

Key Commercial Data

Packing unit	1 M
Minimum order quantity	10 M
Custom tariff number	83071000
Country of origin	Germany

Technical data

Dimensions

Inner diameter (f)	40.00 mm
Outside diameter	45.00 mm

Ambient conditions

Ambient temperature (operation)	-200 °C 600 °C
	•

General

Color	silver
Туре	Spirals
Components	Halogen-free
Material	Stainless steel 1.4301/AISI 304
Bending radius, static	100.00 mm

Classifications

eCl@ss

eCl@ss 4.0	27141131
eCl@ss 4.1	27141131



Classifications

eCl@ss

eCl@ss 5.0	27141131
eCl@ss 5.1	27141120
eCl@ss 6.0	27141120
eCl@ss 7.0	27141120
eCl@ss 8.0	27430301

ETIM

ETIM 3.0	EC000897
ETIM 4.0	EC001179
ETIM 5.0	EC001179

UNSPSC

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121410
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	39121411

Accessories

Accessories

Corrugated pipe screw connection

Screw connection - WP-G BRASS IP40 PG36 - 3241043



Cable gland made from brass with Pg thread, IP40 protection

Screw connection - WP-G BRASS IP40 M40 - 3241050



Cable gland made from brass with metric thread, IP40 protection

08/30/2016 Page 2 / 4



Accessories

Screw connection - WP-GT BRASS PG36 - 3241029



Cable gland made from brass with Pg thread, rotatable, IP40 protection

Screw connection - WP-GT BRASS M40 - 3241036



Cable gland made from brass with metric thread, rotatable, IP40 protection

Mounting material

Hose clamp - WP-BASE HF 45 - 3240973



Hose clamps

Protective hose fixing bracket - WP-BASE A PG36 - 3241082



Fixing bracket for protective sleeves, fixed with two screws

Protective cap

Cable protection end sleeve - WP-SC BRASS 45 - 3241071



End sleeves as cable protection, made of brass

08/30/2016 Page 3 / 4



Accessories

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com